



Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product Identifier** Compass Bio-Complete

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant uses: Fertiliser. For professional use only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3. Details of the supplier of the safety data sheet

Company: Indigrow Ltd, The Old Bakery, Hyde End Lane, Brimpton, Berkshire, RG7 4RH. UK.

Phone: +44 (0) 1189 710 995 Email: growth@indigrow.com

**1.4. Emergency telephone number** +44 (0) 7725 962 366

SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

#### 2.2. Label elements

CLP Regulation (EC) no 1272/2008:

Warning



Hazard indications: Eye Irrit. 2: H319 - Causes serious eye irritation

Cautionary advice: P264: Wash thoroughly after use

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337+P313: If eye irritation persists: Get medical advice/attention

Supplementary information: Non-applicable

# 2.3. Other hazards

Product does not meet PBT/vPvB criteria

SECTION 3: Composition/Information on Ingredients

## 3.1. Substance

Non-applicable





Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 2 of 10

#### 3.2. Mixture

Chemical description: Miscellaneous products

Components: In accordance with Annex II of Regulation (EC) no1907/2006 (point 3), the product contains:

Identification	Chemical Name/Classifi	Concentration	
CAS: 7782-63-0	iron (II) sulfate · 7(H <sub>2</sub> O	ATP ATP01	10-<20%
EC: 231-753-5 Index: Non-applicable REACH: 01-2119513203-57	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	
CAS: 55406-53-6	3-iodo-2-propynyl Butyl	carbamate ATP ATP06	<1%
EC: 259-627-5 Index: 616-212-00-7 REACH: Non-applicable	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 1: H372 - Danger	
CAS: 64-19-7	Acetic acid	(ATP CLP00)	<1%
EC: 200-580-7 Index: 607-002-00-6 REACH: 01-2119475328-30	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Corr. 1A: H314 - Danger	

To obtain more information on the risk of the substances consult sections 8, 11, 12 and 16.

## Other information:

Identification	Regulation 1272/2008	
3-iodo-2-propynyl Butylcarbamate	Acute	10
CAS: 55406-53-6 EC: 259-627-5	Chronic	1

Identification	Specific concentration limit	
iron (II) sulfate · 7(H <sub>2</sub> O) CAS: 7782-63-0 EC: 231-753-5	% (w/w) >=25: Skin Irrit. 2 - H315	
Acetic acid CAS: 64-19-7 EC: 200-580-7	% (w/w) >=90: Skin Corr. 1A - H314 25<= % (w/w) <90: Skin Corr. 1B - H314 10<= % (w/w) <25: Skin Irrit. 2 - H315 % (w/w) >=25: Eye Dam. 1 - H318 10<= % (w/w) <25: Eye Irrit. 2 - H319	

# SECTION 4: First-Aid Measures

# 4.1. Description of first aid measures

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation: This product is not classified as hazardous through inhalation. However, it is recommended

in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.





Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 3 of 10

By skin contact: This product is not classified as hazardous when in contact with the skin. However, in case

of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of

serious reaction consult a doctor.

By eye contact: Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person

affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the

person affected at rest. Rinse out the mouth and throat, as they may have been affected during

ingestion.

## 4.2. Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

## 4.3. Indication of any immediate medical attention and special treatment needed

Non-applicable

By consumption:

## SECTION 5: Fire-Fighting Measures

# 5.1. Extinguishing media

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in acc rdance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

### 5.2. Special hazards arising from the substance or mixture

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

# 5.3. Advice for fire-fighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

# 6.1. Personal precautions, protective equipment and emergency procedures

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.



Issue: 02 - Oct 202

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 4 of 10

## 6.2. Environmental precautions

Avoid spillage into an aqueous medium as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into an aqueous medium notify the relevant authority.

#### 6.3. Methods and material for containment and cleaning up

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4. Reference to other sections

See sections 8 and 13.

SECTION 7: Handling and Storage

## 7.1. Precautions for safe handling

Precautions for safe manipulation: Comply with the current legislation concerning the prevention of industrial risks. Keep

containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous

products are used.

Technical recommendations for the prevention of fires and explosions:

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Avoid projections and pulverizations. Consult section 10 for conditions and materials that should be avoided.

Technical recommendations to prevent ergonomic and toxicological risks:

Do not eat or drink during the process, washing hands afterwards with suitable cleaning

products.

Technical recommendations to prevent environmental risks:

It is recommended to have absorbent material available at close proximity to the product (See

subsection 6.3).

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures for storage: Minimum Temp.: 3°C

Maximun Temp.: 30°C Maximum time: 36 Months

General conditions for storage: Avoid sources of heat, radiation, static electricity and contact with food. For additional

information see subsection 10.5.

# 7.3. Specific end use(s)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: Exposure Controls/Personal Protection

## 8.1. Control parameters

Substances whose occupational exposure limits have to be monitored in the work environment

Identification	Environmental limits		
Propane-1,2-diol	WEL (8h)	150 ppm	474 mg/m³
CAS: 57-55-6 EC: 200-338-0	WEL (15 min)	-	-
Acetic acid	WEL (8h)	10 ppm	25 mg/m <sup>3</sup>
CAS: 64-19-7 EC: 200-580-7	WEL (15 min)	20 ppm	50 mg/m <sup>3</sup>



Issue: 02 - Oct 2020

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 5 of 10

## DNEL (Workers):

Identification		Short Exposure		Long Exposure	
		Systemic	Local	Systemic	Local
iron (II) sulfate · 7(H,O)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7782-63-0	Dermal	Non-applicable	Non-applicable	2.8 mg/kg	Non-applicable
EC: 231-753-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	25 mg/m <sup>3</sup>
3-iodo-2-propynyl Butylcarbamate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 55406-53-6	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 259-627-5	Inhalation	0.07 mg/m <sup>3</sup>	1.16 mg/m <sup>3</sup>	0.023 mg/m <sup>3</sup>	1.16 mg/m <sup>3</sup>
Acetic Acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-19-7	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-580-7	Inhalation	Non-applicable	25 mg/m³	Non-applicable	25 mg/m <sup>3</sup>

# DNEL (General Population):

Identification		Short Exposure		Long Exposure	
		Systemic	Local	Systemic	Local
iron (II) sulfate · 7(H,O)	Oral	20 mg/kg	Non-applicable	0.28 mg/kg	Non-applicable
CAS: 7782-63-0 EC: 231-753-5	Dermal	Non-applicable	Non-applicable	1.4 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable
Acetic Acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-19-7 EC: 200-580-7	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	25 mg/m <sup>3</sup>	Non-applicable	25 mg/m <sup>3</sup>

# PNEC:

Identification				
	STP	0.44 mg/L	Fresh water	0.001 mg/L
3-iodo-2-propynyl Butylcarbamate CAS: 55406-53-6	Soil	0.005 mg/kg	Marine water	0 mg/L
EC: 259-627-5	Intermittent	0.001 mg/L	Sediment (Fresh water)	0.017 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.002 mg/kg
	STP	85 mg/L	Fresh water	3.058 mg/L
Acetic Acid CAS: 64-19-7	Soil	0.47 mg/kg	Marine water	0.3035 mg/L
EC: 200-580-7	Intermittent	30.58 mg/L	Sediment (Fresh water)	11.36 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1.136 mg/kg

# 8.2. Exposure controls

General security and hygiene measures in the work place:

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

Respiratory protection:

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.





Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 6 of 10

Specific protection for the hands: Protective gloves against minor risks

> Labelling: CE CAT I

Replace gloves in case of any sign of damage. For prolonged periods Remarks:

> of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+A1:2009 and EN ISO

374-1:2016

Ocular and facial protection: PPE: Panoramic glasses against liquid splash/projections

> Labelling: CE CAT II

EN 166:2001; EN ISO 4007:2018 CEN Standard:

Clean daily and disinfect periodically according to the manufacturer's Remarks:

instructions. Use if there is a risk of splashing.

PPE: Work clothing Bodily protection:

Labelling: CE CAT I

CEN Standard:

Remarks: Replace before any evidence of deterioration. For periods of prolonged

exposure to the product for professional/industrial users CE III is

recommended, in accordance with the regulations in EN ISO 6529:2013, EN

ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

PPE: Anti-slip work shoes

CE CAT II Labelling:

CEN Standard: EN ISO 20347:2012

Remarks: Replace before any evidence of deterioration. For periods of prolonged

exposure to the product for professional/industrial users CE III is

recommended, in accordance with the regulations in EN ISO 20345:2012 y

EN 13832-1:2007

Additional emergency measures: Emergency measure: **Emergency shower** 

ISO 3864-1:2011, ISO 3864-4:2011 Standards:

Emergency measure: Eyewash stations

Standards: ISO 3864-1:2011, ISO 3864-4:2011

In accordance with the community legislation for the protection of the environment it is Environmental exposure controls:

recommended to avoid environmental spillage of both the product and its container. For

additional information see subsection 7.1.D

Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C:  $0 \text{ kg/m}^3 (0 \text{ g/L})$ 

Average carbon number:

Average molecular weight: 60.1 g/mol

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C: Appearance: Liquid

Appearance: Characteristic Colour: Asparague Odor: Characteristic

Volatility: Boiling point at atmospheric pressure: 100 °C

Vapour pressure at 50 °C: 12380.71 Pa (12.38 kPa) Density at 20°C: 1086-1106 kg/m<sup>3</sup> 1.086-1.106

Relative density at 20°C: pH:

2-3

Non Flammable (>60°C) Flammability: Flash Point: 421°C

Autoignition temperature

9.2. Other information

Product description:

Non-applicable





Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 7 of 10

SECTION 10: Stability and Reactivity

#### 10.1. Reactivity

No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7.

# 10.2. Chemical stability

Chemically stable under the conditions of storage, handling and use.

# 10.3. Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead excessive temperatures or pressure are not expected.

## 10.4. Conditions to avoid

Applicable for handling and storage at room temperature:

Shock and friction:

Contact with air:

Increase in temperature:

Sunlight:

Humidity:

Not applicable

Precaution

Precaution

Not applicable

# 10.5. Incompatible materials

Acids: Avoid strong acids
Water: Not applicable
Oxidising materials: Avoid direct impact
Combustible materials: Not applicable

Others: Avoid alkalis or strong bases

# 10.6. Hazardous decomposition products

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: Toxicological Information

## 11.1. Information on toxicological effects

The experimental information related to the toxicological properties of the product itself is not available.

Dangerous health implications: In case of exposure that is repetitive, prolonged or at concentrations higher than recommended

by the occupational exposure limits, it may result in adverse effects on health depending on the

means of exposure:

Ingestion: Based on available data, the classification criteria are not met Inhalation: Based on available data, the classification criteria are not met

Contact with the skin and the eyes: Contact with the skin: Based on available data, the classification criteria are not met

Contact with the eyes: Produces eye damage after contact.

CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT)-time exposure:

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT)-repeated exposure:

Based on available data, the classification criteria are not met

Aspiration hazard: Based on available data, the classification criteria are not met

Other information: Non-applicable.

Sensitizing effects:

Issue: 02 - Oct 202

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 8 of 10

# Specific toxicology information on the substances:

Identification	Acute toxicity	Genus
iron (II) sulfate · 7(H,O)	LD50 oral 1389 mg/kg	Rat
CAS: 7782-63-0	LD50 dermal > 2000 mg/kg	
EC: 231-753-5	LC50 inhalation > 5 mg/l (4 h)	
3-iodo-2-propynyl Butylcarbamate	LD50 oral 1100 mg/kg	Rat
CAS: 55406-53-6	LD50 dermal 2100 mg/kg	Rabbit
EC: 259-627-5	LC50 inhalation 0.67 mg/l (4 h)	Rat
Acetic acid	LD50 oral 2500 mg/kg	Rat
CAS: 64-19-7	LD50 dermal > 2000 mg/kg	
EC: 200-580-7	LC50 inhalation 20 mg/l	

# Acute Toxicity Estimate (ATE mix):

ATE	Genus	
Oral 9260 mg/kg (Calculation method)		0%
Dermal >2000 mg/kg (Calculation method)		Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

# SECTION 12: Ecological Information

# 12.1. Toxicity

Identification	Acute toxicity		Specie	Genus
3-iodo-2-propynyl Butylcarbamate	LD50	0.07 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 55406-53-6	EC50	0.09 mg/L (96 h)	Mysidopsis bahia	Crustacean
EC: 259-627-5	EC50	0.05 mg/L (72 h)	Scenedesmus subspicatus	Algae
Acetic acid	LD50	75 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 64-19-7	EC50	47 mg/L (24 h)	Daphnia magna	Crustacean
EC: 200-580-7	EC50	Non-applicable		

# 12.2. Persistence and degradability

Identification	Degradability		Biodegradability	
Acetic acid	BOD5	Non-applicable	Concentration	100 mg/l
CAS: 64-19-7	Code	Non-applicable	Period	14 days
EC: 200-580-7	BOD5/COD	Non-applicable	% Biodegradable	74%





Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 9 of 10

#### 12.3. Bioaccumulative potential

Identification	Biodegradability		
3-iodo-2-propynyl Butylcarbamate CAS: 55406-53-6 EC: 259-627-5	BCF	36	
	Pow Log	2.4	
	Potential	Moderate	
Acetic acid CAS: 64-19-7 EC: 200-580-7	BCF	3	
	Pow Log	-0.71	
	Potential	Low	

## 12.4. Mobility in soil

Identification	Absorption/desorption		Volatility	
Acetic acid CAS: 64-19-7 EC: 200-580-7	Koc	Non-applicable	Henry	Non-applicable
	Conclusion	Non-applicable	Dry Soil	Non-applicable
	Surface Tension	2.699E-2 N/m (25°C)	Moist Soil	Non-applicable

#### 12.5. Results of PBT and vPvB assessment

Product does not meet PBT/vPvB criteria

## 12.6. Other adverse effects

Not described

SECTION 13: Disposal Considerations

## 13.1. Waste treatment methods

Code	Description	Waste class (Directive 2008/98/EC)
06 10 02*	Wastes containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014): HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated. Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

Community legislation:

SECTION 14: Transport Information

This product is not regulated for transport (ADR/RID,IMDG,IATA)





Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 10 of 10

SECTION 15: Regulatory Information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 3-iodo-2propynyl Butylcarbamate, bronopol (INN).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 3-iodo-2-propynyl Butylcarbamate (Product-type 6, 7, 8, 9, 10, 13) REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Non-applicable Seveso III:

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations

2009 (CDG 2009), SI 2009 No 1348

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment)

Regulations 2011, 2011 No. 1885

Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits The Waste Regulations 2011, 2011 No. 988

# 15.2. Chemical Safety Assessment

The supplier has not carried out evaluation of chemical safety.

## 16. OTHER INFORMATION

The information contained herein relates only to the designated formulation and may not be valid if product is used in combination with other substances. The information is to the best of our knowledge, belief and understanding, true, accurate and reliable at the date of issue. However, the information may neither be exhaustive or complete, and no warranty, guarantee or liability concerning the accuracy or completeness of the information is expressed or implied. It is the user's risk and sole responsibility to verify and satisfy their own criteria and duty of care concerning the validity of the information in relation to their application of the product.

SSUE 2 10/20 GCL		