

# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product Identifier** Optik Tank Cleaner

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Relevant uses: Cleaner. For professional use only.  
Uses advised against: All uses not specified in this section or in section 7.3

**1.3. Details of the supplier of the safety data sheet**

Company: Indigrow Ltd, The Old Bakery, Hyde End Lane, Brimpton, Berkshire, RG7 4RH. UK.  
Phone: +44 (0) 1189 710 995  
Email: growth@indigrow.com

**1.4. Emergency telephone number** +44 (0) 7725 962 366

#### SECTION 2: Hazards Identification

**2.1. Classification of the substance or mixture**

Directive 67/548/EC and Directive 1999/45/EC:  
This product was classified in accordance with Directive 67/548/EC and Directive 1999/45/EC, adapting the requirements to Regulation (EC) n°1907/2006 (REACH regulation).  
Xi: R36/38 - Irritating to eyes and skin

CLP Regulation (EC) n° 1272/2008:  
Classification of this product has been carried out in accordance with CLP Regulation (EC) n° 1272/2008.  
Eye Irrit. 2: Eye irritation, Category 2  
Skin Irrit. 2: Skin irritation, Category 2

**2.2. Label elements**

CLP Regulation (EC) n° 1272/2008:  
Warning



Hazard indications: Eye Irrit. 2: H319 - Causes serious eye irritation  
Skin Irrit. 2: H315 - Causes skin irritation

Cautionary advice: P264: Wash thoroughly after use  
P280: Wear protective gloves/protective clothing/eye protection/face protection  
P302+P352: IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P332+P313: If skin irritation occurs: Get medical advice/attention  
P337+P313: If eye irritation persists: Get medical advice/attention  
P362: Take off contaminated clothing and wash before reuse

Supplementary information: Non-applicable

**2.3. Other hazards**

Non-applicable

# Optik

## Tank Cleaner








### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 2 of 10

#### SECTION 3: Composition/Information on Ingredients

Chemical description: Miscellaneous products  
Components: In accordance with Annex II of Regulation (EC) n°1907/2006 (point 3), the product contains:

Identification	Chemical Name/Classification		Concentration
CAS: 68910-32-7 EC: 272-734-1 Index: Non-applicable REACH: Non-applicable	Benzenesulfonic acid, mono-C10-16-alkyl derivs., compds. with ethanolamine (Self-classified)		10-<15%
	Directive 67/548/EC	Xi: R38, R41; Xn: R22 	
	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger 	
CAS: 85443-51-2 EC: 287-243-8 Index: Non-applicable REACH: Non-applicable	(1-hydroxyethylidene)bisphosphonic acid compound with 2-aminoethanol (1:1) (Not-classified)		5-<10%
	Directive 67/548/EC		
	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning 	
CAS: 34590-94-8 EC: 252-104-2 Index: Non-applicable REACH: 01- 2119450011-60-XXXX	Dipropylene Glycol Methyl Ether (Not classified)		2.5-<5%
	Directive 67/548/EC		
	Regulation 1272/2008		
CAS: 68131-39-5 EC: 500-195-7 Index: Non-applicable REACH: 01- 2119488720-33-XXXX	Alcohols, C12-15, ethoxylated (C12-15 PARETH-7) (Self-classified)		1-<2.5%
	Directive 67/548/EC	Xi: R41; Xn: R22 	
	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger 	
CAS: 141-43-5 EC: 205-483-3 Index: 603-030-00-8 REACH: 01- 2119486455-28-XXXX	2-aminoethanol (ATP CLP00)		<1%
	Directive 67/548/EC	C: R34; Xn: R20/21/22 	
	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Skin Corr. 1B: H314 - Danger 	

To obtain more information on the risk of the substances consult sections 8, 11, 12 and 16.

#### SECTION 4: First-Aid Measures

##### 4.1. Description of first aid measures

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the MSDS of this product.

By inhalation: This product does not contain substances classified as dangerous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact: Rinse eyes thoroughly with luke warm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the MSDS of the product.

# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 3 of 10

By consumption:

Do not induce vomiting, but if it does happen keep the head up to avoid inhalation. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2. Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Non-applicable

---

### SECTION 5: Fire-Fighting Measures

#### 5.1. Extinguishing media

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

#### 5.2. Special hazards arising from the substance or mixture

As a result of combustion or thermal decomposition reactive subproducts are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3. Advice for fire-fighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

---

### SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

#### 6.1. Personal precautions, protective equipment and emergency procedures

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### 6.2. Environmental precautions

This product is not classified as dangerous to the environment. Keep product away from drains, surface and underground water.

#### 6.3. Methods and material for containment and cleaning up

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4. Reference to other sections

See sections 8 and 13.



# Optik Tank Cleaner Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 4 of 10

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Precautions for safe manipulation: Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

Technical recommendations for the prevention of fires and explosions:

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

Technical recommendations to prevent ergonomic and toxicological risks:

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

Technical recommendations to prevent environmental risks:

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3).

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures for storage: Minimum Temp.: 0°C  
Maximum Temp.: 40°C  
Maximum time: 24 Months

General conditions for storage: Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.

### 7.3. Specific end use(s)

Agricultural Spray Tank Cleaner

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Substances whose occupational exposure limits have to be monitored in the work environment

Identification	Environmental limits		
	IOELV (8h)	50 ppm	308 mg/m <sup>3</sup>
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	IOELV (STEL)		
	Year	2014	
	IOELV (8h)	1 ppm	2.5 mg/m <sup>3</sup>
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	IOELV (STEL)	3 ppm	7.6 mg/m <sup>3</sup>
	Year	2014	

# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 5 of 10

#### DNEL (Workers):

Identification		Short Exposure		Long Exposure	
		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	65 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	310 mg/m <sup>3</sup>	Non-applicable
Alcohols, C12-15, ethoxylated (C12-15 PARETH-7) CAS: 68131-39-5 EC: 500-195-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	294 mg/m <sup>3</sup>	Non-applicable
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	3.3 mg/m <sup>3</sup>

#### DNEL (Population):

Identification		Short Exposure		Long Exposure	
		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	Oral	Non-applicable	Non-applicable	1.67 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	37.2 mg/m <sup>3</sup>	Non-applicable
Alcohols, C12-15, ethoxylated (C12-15 PARETH-7) CAS: 68131-39-5 EC: 500-195-7	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	87 mg/m <sup>3</sup>	Non-applicable
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	Oral	Non-applicable	Non-applicable	3.75 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0.24 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	2 mg/m <sup>3</sup>

#### PNEC:

Identification					
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	STP	4168 mg/L	Fresh water	19 mg/L	
	Soil	2.74 mg/kg	Marine water	1.9 mg/L	
	Intermittent	190 mg/L	Sediment (Fresh water)	70.2 mg/kg	
	Oral	Non-applicable	Sediment (Marine water)	7.02 mg/kg	
Alcohols, C12-15, ethoxylated (C12-15 PARETH-7) CAS: 68131-39-5 EC: 500-195-7	STP	10000 mg/L	Fresh water	0.0466 mg/L	
	Soil	1 mg/kg	Marine water	0.0466 mg/L	
	Intermittent	0.0466 mg/L	Sediment (Fresh water)	41.3 mg/kg	
	Oral	Non-applicable	Sediment (Marine water)	41.3 mg/kg	
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	STP	100 mg/L	Fresh water	0.085 mg/L	
	Soil	0.035 mg/kg	Marine water	0.0085 mg/L	
	Intermittent	0.025 mg/L	Sediment (Fresh water)	0.425 mg/kg	
	Oral	Non-applicable	Sediment (Marine water)	0.0425 mg/kg	

# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 6 of 10

#### 8.2. Exposure controls

General security and hygiene measures in the work place:

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding "CE marking" in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

Respiratory protection:	The use of protection equipment will be necessary if a mist forms or if the professional exposure limits are exceeded.	
Specific protection for the hands:	PPE:	Chemical protective gloves
	Labelling:	CE CAT I
	CEN Standard:	EN 374-1:2003; EN 374-3:2003/AC:2006; EN 420:2003+A1:2009
Ocular and facial protection:	Remarks:	Replace the gloves at any sign of deterioration.
	PPE:	Panoramic glasses against liquid splash
	Labelling:	CE CAT II
	CEN Standard:	EN 166:2001; EN 172:1994/A1:2000; EN 172:1994/A2:2001; EN 165:2005
Bodily protection:	Remarks:	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
	PPE:	Work clothing
	Labelling:	CE CAT I
	CEN Standard:	EN ISO 13688:2013
	Remarks:	For professional use only.
	PPE:	Anti-slip work shoes
Additional emergency measures:	Labelling:	CE CAT II
	CEN Standard:	EN ISO 20347:2012; EN ISO 20344:2011
	Remarks:	None
	Emergency measure:	Emergency shower
	Standards:	ANSI Z358-1; ISO 3864-1:2002
Environmental exposure controls:	Emergency measure:	Eyewash stations
	Standards:	DIN 12 899; ISO 3864-1:2002
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D.		

#### SECTION 9: Physical and Chemical Properties

##### 9.1. Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C:	Liquid
	Appearance:	Characteristic
	Colour:	Yellowish
	Odor:	Characteristic
Volatility:	Boiling point at atmospheric pressure:	103 °C
Product description:	Density at 20°C:	1020 - 1040 kg/m <sup>3</sup> (ISO 649-2)
	Relative density at 20°C:	1.02 - 1.04
	pH:	10 - 11.5 to 100% (ASTM D3838-05)
	Solubility property:	Miscible
Flammability:	Flash Point:	Non Flammable (>60°C)

##### 9.2. Other information

Surface tension at 20 °C:	Non-applicable
Refraction index:	Non-applicable

# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 7 of 10

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7.

### 10.2. Chemical stability

Chemically stable under the conditions of storage, handling and use.

### 10.3. Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead excessive temperatures or pressure are not expected.

### 10.4. Conditions to avoid

Applicable for handling and storage at room temperature:

Shock and friction:	Not applicable
Contact with air:	Not applicable
Increase in temperature:	Not applicable
Sunlight:	Not applicable
Humidity:	Not applicable

### 10.5. Incompatible materials

Acids:	Not applicable
Water:	Not applicable
Combustive materials:	Not applicable
Combustible materials:	Not applicable
OtherS:	Not applicable

### 10.6. Hazardous decomposition products

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

No experimental information is available on the product itself in relation to the toxicological properties. When performing the danger classification on corrosive or irritant effects the recommendations included in section 3.2.5 of Annex VI of Directive 67/548/EC, in paragraphs b) and c) of section 3 of article 6 of Directive 1999/45/EC and in section 3.2.3.3.5. of Annex I of CLP Regulation were taken into account.

Contains glycols. With possibility of effects that are hazardous to the health, it is recommended not to breathe the vapours for long periods of time.

Dangerous health implications:	In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure.
Ingestion:	Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
Inhalation:	Based on available data, the classification criteria are not met
Contact with the skin and the eyes:	Produces skin inflammation.
CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):	Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
Sensitizing effects:	Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensibilizing effects. For more information see section 3.



# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 8 of 10

#### Specific target organ toxicity (STOT)-time exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Specific target organ toxicity (STOT)-repeated exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Other information:

Classification based on read-across data from similar formulations. Study conducted to OECD Standard, conclusive, Eye Irritation Category 2.

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Alcohols, C12-15, ethoxylated (C12-15 PARETH-7) CAS: 68131-39-5 EC: 500-195-7	LD50 oral	500 mg/kg (ATEi)	
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Benzenesulfonic acid, mono-C10-16-alkyl derivs., compds. with ethanolamine CAS: 68910-32-7 EC: 272-734-1	LD50 oral	500 mg/kg (ATEi)	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	LD50 oral	1515 mg/kg	Rat
	LD50 dermal	2504 mg/kg	Rabbit
	LC50 inhalation	11 mg/l (4 h)	Rat

## SECTION 12: Ecological Information

### 12.1. Toxicity

Identification	Acute toxicity		Specie	Genus
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	LD50	10000 mg/L (96 h)	Pimephales promelas	Fish
	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	LD50	349 mg/L (96 h)	Cyprinus carpio	Fish
	EC50	65 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	22 mg/L (72 h)	Scenedesmus subspicatus	Alga

### 12.2. Persistence and degradability

Identification	Degradability		Biodegradability	
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	BOD5	Non-applicable	Concentration	Non-applicable
	Code	0.00202 g O2/g	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	73%
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	BOD5	Non-applicable	Concentration	20 mg/L
	Code	Non-applicable	Period	21 days
	BOD5/COD	Non-applicable	% Biodegradable	90%



# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 9 of 10

#### 12.3. Bioaccumulative potential

Identification	Biodegradability	
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	BCF	1
	Pow Log	-0.06
	Potential	Low
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	BCF	3
	Pow Log	-1.31
	Potential	Low

#### 12.4. Mobility in soil

Identification	Absorption/desorption		Volatility	
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	Koc	0.27	Henry	3.7E-5 Pa·m <sup>3</sup> /mol
	Conclusion	Very high	Dry Soil	No
	Surface Tension	50250 N/m (25°C)	Moist Soil	No

#### 12.5. Results of PBT and vPvB assessment

Not available

#### 12.6. Other adverse effects

Not described

### SECTION 13: Disposal Considerations

#### 13.1. Waste treatment methods

Code	Description	Waste class (Directive 2008/98/EC)
20 01 29*	Detergents containing dangerous substances	Dangerous

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2000/532/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommend disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated.

Community legislation:

Directive 2008/98/EC, 2000/532/EC: Commission Decision of 3 May 2000

### SECTION 14: Transport Information

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# Optik

## Tank Cleaner

### Material Safety Data Sheet

Issue: 03 - Feb 2015

Indigrow Ltd Safety data sheet according to Regulation (EC) No. 1907/2006. Page 10 of 10

#### SECTION 15: Regulatory Information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Active substances for which a decision of non-inclusion onto Annex I (Regulation (EU) No 528/2012): Non-applicable

Regulation (EC) 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) n°648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in Regulation (EC) n°648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Non-applicable:

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

##### 15.2. Chemical Safety Assessment

The supplier has not carried out evaluation of chemical safety.

---

#### 16. OTHER INFORMATION

The information contained herein relates only to the designated formulation and may not be valid if product is used in combination with other substances. The information is to the best of our knowledge, belief and understanding, true, accurate and reliable at the date of issue. However, the information may neither be exhaustive or complete, and no warranty, guarantee or liability concerning the accuracy or completeness of the information is expressed or implied. It is the user's risk and sole responsibility to verify and satisfy their own criteria and duty of care concerning the validity of the information in relation to their application of the product.

---

ISSUE 3 02/15 GCL

---